



PROTECTION EXPERTS
AUSTRALIA

Removalist Catalogue

We'll beat any reasonable quote

Solutions to
Protect your
Products from
Damage



pro-ex.com.au 02 9945 0593

Can't find what you are looking for?
Contact us, we'd be happy to source it for you!

blankets/rolls

absorbers

strapping

hardware

Removalist Products



Dunnage Bags

- Size: 90 x 180 cm
- Material: *Outer Layer* - Polypropylene woven fabric with UV protection, *Inner Layer* - co-extruded PE and Nylon with high puncture resistance.
- Fast fill values with good air impermeability.
- Load Capacity: Less than 20 ton (45,000lbs)
- Max PSI: 2.90
- SKU: [BD90180](#)



Dunnage Bags can be inflated with our **Dunnage Bag Inflator**. Alternatively, an air compressor with an 8mm connection pipe can be used.



Dunnage Bag Inflator

- Material: Plastic and Metal
- Dimensions: 20 x 18 x 6cm
- Weight: 270g
- Power: 11.25 Amps
- Voltage: 120V
- Frequency: 60 Hz
- SKU: [DBInf](#)

Furniture Felt Roll

- Dimensions: 1.8m x 50m
- Weight: 53kg
- 60gsm
- SKU: [FFRoll](#)



Superior
Quality

Removalist Blanket

- Dimensions: 3.4m x 1.8m
- Weight: 4.5 kg
- Finish: Quilted with red trim
- SKU: [FFBlanket](#)



Removalist Webbing (Pre-cut)

- Dimensions: 40mm pre-cut 6m lengths
- Multicoloured finish conceals dirt
- Weight: 264g
- Breaking strength: 750kg
- Material: nylon and polyester
- Coils per Carton: 72 rolls
- [SKU: C1994](#)


Pre-cut
6m
lengths

Used by leading
Australian removalists




Removalist Webbing (White)

- Width: 50mm
- Weight: 2.31kg
- Breaking strength: 750kg
- Material: nylon and polyester
- Meters per coil: 50m
- 6 coils per carton (300m)
- [SKU: C1952](#)



SeatBelt Restraint Webbing

- Width: 50mm
- Weight: 5.4kg
- Breaking strength: 1600kg
- Metres per coil: 100m
- 6 coils per carton (600m)
- [SKU: C2114](#)



Polyprop Webbing

- Width 50mm
- Weight: 1.38kg
- Metres per coil: 50m
- 11 coils per carton (550m)
- [SKU: N562](#)



Furniture Moving Straps

- Material: Polyamide webbing
- Breaking strength 300kgs
- Sold as pair
- Promotes safe handling technique



Shoulder

- Pack includes: 2 x harnesses with 'e' buckle and shoulder sleeve & 2 x adjustable weight bearing straps (1.6m - 2.7m)
- Weight: 890g
- Width: 5cm
- [SKU: STRAPSH](#)



Wrist


- Weight: 400g
- Width: 7cm
- [SKU: STRAPW](#)



Woven Strapping

- Material: NarrowStrap Woven Polyester
- Superior alternative to steel and plastic strapping
- Available in a range of widths (16 - 19mm) and tensile strengths (350kg - 1,100kg)
- Flexible and does not split
- Can be tensioned using manual or pneumatic tools
- To be used with the following buckles available at Pro-Ex:

- 16 - 19mm Galvanised Buckle
- 16 - 19mm Phosphate Buckle (extra grip)
- 19 - 22mm Galvanised Buckle
- 19 - 22mm Phosphate Buckle (extra grip)



Woven Lashing

- Material: Narrolash Polywoven Lashing a high tenacity polyester yarn
- Used for bulk loads
- Available in a range of tensile strengths (2,000 - 5,000kg)
- One of the safest and most cost effective alternatives to steel strapping, chains, wire ropes and ratchet strapping
- To be used with the following buckles available at Pro-Ex:
 - 32mm Drop Forged Buckle
 - 32mm Lashing Buckle - Phosphated
 - 40mm Drop Forged Buckle

Scan for our full range of Buckles



Tensioners and Dispensers

Applying the correct tension and using the compatible buckle, items can be strapped securely ensuring safe, trouble-free transportation.

Lashing Tensioner

- For lashing up to 42mm wide
- SKU: NTEN32MUL



Strapping Tensioner

- For straps up to 22mm wide
- SKU: NTEN



Ratchet Strapping Tensioner

- With cutter
- SKU: NRATD



Dispensers assist with the even distribution of the strapping during application.

Strapping Dispenser

- With cutter
- SKU: NSTDISPD



Inbox Absorbers

Clay Desiccants (MT)

- Active Ingredient: Montmorillonite Clay
- Absorbing Capacity: **30%**
- Environmentally friendly
- Conforms to MIL-D-3464
- Can be used with metal components
- Available in a variety of sizes



Product Name	Weight (g)	Product Dimension (cm)	Units/Ctn	SKU
MT - 1 unit	33	7.8 x 9.5	400	MT-1Unit
MT - 4 unit	132	9.8 x 15	100	MT-4Unit
MT - 8 unit	264	10.5 x 21	60	MT-8Unit
MT - 16 unit	528	15 x 25	30	MT-16Unit

Mineral Desiccant (MD)

- Active Ingredient: Calcium Chloride + Montmorillonite Clay
- Absorbing Capacity: **70%**
- Higher absorption capabilities
- Not to be used with organic or metal componentry.



Product Name	Weight (g)	Product Dimension (cm)	Units/Ctn	SKU
MD - 100g	100	13 x 9 x 1	120	MD-100g
MD - 250g	250	20 x 10 x 2	50	MD-250g
MD - 500g	500	26 x 14 x 2	32	MD-500g

Silica Gel

- Active Ingredient: Silica Gel
- Absorbing Capacity: **30%**
- Well known
- Suitable for organic and metal cargo
- Requires a stable environment to work effectively
- Available in a variety of sizes



Product Name	Weight (g)	Product Dimension (cm)	Units/Ctn	SKU
Silica Gel 1g	1	1.8 x 3.9	7000	SD-1g
Silica Gel 5g	5	4.5 x 6.5	2000	SD-5g
Silica Gel 10g	10	6 x 8	800	SD-10g
Silica Gel 50g	50	7.8 x 11	240	SD-50g

Absorgel Pouch

- Active Ingredient: Calcium Chloride
- Absorbing Capacity: **300%**
- 125g pouch has an adhesive backing creating a versatile unit
- 100g is self-indicating
- Rapidly absorbs moisture
- Can not come in contact with metal
- Available in a variety of sizes




Product Name	Weight (g)	Product Dimension (cm)	Units/Ctn	SKU
Absorgel Pouch 25g	25g	11 x 12.5	400	ABS-11
Absorgel Pouch 100g	100g	21 x 15.5	160	ABS-10
Absorgel Pouch 125g	125g	17 x 15	100	ABS-05

Absorgel Shipping Desiccant 1kg

- Active Ingredient: Calcium Chloride
- Absorbing Capacity: **300%**
- Dimensions: 95cm x 13.5cm x 3cm
- Our top seller with superior absorption capabilities
- Rapidly absorbs moisture
- Versatile units, that can be hung vertically or horizontally
- Can not come in contact with metal
- **SKU: ABS-04**



Versatile



Absorgel Hanging Recommended Units

Container Size	Dry Cargo	Moist Cargo
20"	4 - 6	8 - 10
40"	8 - 12	16 - 20



Esorb 2kg Mineral Desiccant

- Active Ingredient: Calcium Chloride + Montmorillonite Clay
- Absorbing Capacity: **70%**
- Dimensions: 28cm x 21cm x 2cm
- Can be used as an inbox or container desiccant
- Hanging hook makes installation a breeze
- Cost effective alternative desiccant
- Not to be used with organic or metal componentry
- **SKU: MD-2kg-TY**



Bolt Seal VI

- Narrow 7.6mm shaft designed to fit narrow spaces
- Spring Wire locking mechanism
- Self-locking mechanism ensures easy locking without any need for tools
- Plastic moulded anti-spin feature on shaft and bolt
- Matching serial number on bolt and shaft
- Removal only with bolt cutter
- SKU: SQBSIV



All Pro-Ex security seals can be customised with logos, text, barcodes and/or serial number



Fixed Length Double Locking Plastic Seal

- One way locking design prevents errors during application
- Double Locking mechanism provides greater security
- Protruding tail provides visual evidence of correct application
- Secure sealing method is used to secure the locking mechanism
- 4-sided plastic locking teeth that provides greater security
- 7mm wide strap fits all truck latches
- Hot stamped or laser etched markings with unique Serial Number
- SKU: SQFL1

Light Duty I Adjustable Length Plastic Security Seal

- Easy to use for all applications with small sealing facilities
- Tear-off feature enables easy removal without needing tools
- Security stopper at the end of the tail prevents reverse locking
- Heat staking technology to secure the locking chamber
- 4-sided plastic locking teeth that provides greater security
- 3mm round locking strap that provides flexibility and durability
- Laser etched markings with unique Serial Number and Barcode
- SKU: SQLDI



Can't see what you were after?

Contact our offices and our staff would be happy to help source what you require.

